

TITAN SUPERSYN D2 5W-40

Ultra high performance engine oil specially developed for GM vehicles requiring dexos2-fluid. Optimum cold starting, lower oil consumption and minimised exhaust emissions.

Description

TITAN Supersyn D2 SAE 5W-40 is a new engine oil for GM passenger cars. The innovative technology offers high performance and multi-purpose application for petrol and diesel engines. TITAN Supersyn D2 SAE 5W-40 is backwards compatible and can be used where GM-LL-A-025 or GM-LL-B-025 specification is required.

Application

TITAN Supersyn D2 SAE 5W-40 is used for Opel/Vauxhall/GM vehicles with diesel and petrol engines and has to be used for vehicles with particulate filters. TITAN Supersyn D2 SAE 5W-40 is miscible and compatible with conventional branded engine oils. However intermixtures with other engine oils should be avoided in order to fully utilise the products benefits. Therefore, a complete oil change is recommended when converting to TITAN Supersyn D2 SAE 5W-40.

Advantages/Benefits

- Protects exhaust gas after treatment systems due to low content of sulphated ash, phosphorous and sulphur.

- API SN / CF
- Applicable in diesel and gasoline engines
- Inhibits deposits in engines, thus excellent operation reliability and reduced maintenance costs
- Good cold start behaviour and lubrication of the engine

Specifications

- API SN / CF
- ACEA C3

Approvals

- Dexos 2 (License Number D225GBDA075)

FUCHS Recommendations

- MB 226.5
- MB 229.31
- Porsche A40
- Renault RN0700 / 0710

Product Information



CHARACTERISTICS

Density @ 15 Deg C	DIN 51757	0.85	kg/L
Kinematic Viscosity @ 100 Deg C	ASTM D445	13.5 typ.	cSt
Viscosity Index	ASTM D2270	> 170	N/A
High Temperature High Shear (HTHS)	ASTM D4683	> 2.9	N/A

Product Code: M5081000
Last Update: 27/05/2022